

## SECURITY SNAP FRAME PROFILE 20 mm

Poster Frames | Snap Frames



### SECURITY SNAP FRAME 20mm


- anti-glare front cover with snap shut profiles
- for wall fix applications (ceiling suspension hooks provided on request)
- screws and rawl plugs are not included
- supplied individually boxed
- security – anti tamper profile, easy to open using the plastic lever tool (KRK)
- subtle look – shallow radius top profile

### KLAPPRAHMEN 20mm SECURITY

- Antireflexfolie und Klemmleisten
- Zur Wandmontage (Abhängeset für Deckenaufhängung separat erhältlich)
- Befestigungsmaterial ist nicht enthalten
- Artikel sind einzeln verpackt
- Sicherheits-Profil, zu öffnen mit dem Kunststoff-Profilöffner (KRK)
- dezente Optik – flacher Profilradius


**SECURITY SNAP FRAME PROFILE 20 mm / MITRED CORNER**

Poster Frames | Snap Frames



SIZE (C)  
GRÖÖE (C)

**BACK VIEW  
RÜCKANSICHT**



(KRK)  
SECURITY LEVER TOOL  
PROFILÖFFNER



FIXING HOLES Ø 5,5mm  
SCHRAUBLÖCHER Ø 5,5mm

**ACCESSORIES  
ZUBEHÖR**



(SOSSET)  
SET OF SCREWS  
SCHRAUBENSET

(HHKR)  
HANGING HOOKS  
HAKEN ZUM ABHÄNGEN



(WRBAG)  
WEATHER RESISTANT POSTER BAG  
WETTERFESTE POSTERTASCHE

(SUPPKR)  
SUPPORT FOR SNAPFRAMES  
ZUBEHÖR ZUM AUFSTELLEN



ONLY FOR A4  
NUR FÜR A4

## SECURITY SNAP FRAME PROFILE 20 mm / MITRED CORNER

Poster Frames | Snap Frames




Article code	EAN / GTIN	Poster size	Visible size	Size (A x B x C)	Net weight	Holes Pitch (X x Y)
Artikelcode	EAN / GTIN	Plakatformat	Sichtmaß	Größe (A x B x C)	Netto Gewicht	Lochabstand (X x Y)
KRA5G20SEC	8595578300451	A5 (148 x 210 mm)	138 x 200 mm	178 x 240 x 11 mm	0,35 kg	159 x 0 mm
KRA4G20SEC	8595578300468	A4 (210 x 297 mm)	200 x 287 mm	240 x 327 x 11 mm	0,45 kg	221 x 119 mm
KRA3G20SEC	8595578300475	A3 (297 x 420 mm)	287 x 410 mm	327 x 450 x 11 mm	0,67 kg	308 x 242 mm
KRA2G20SEC	8595578300482	A2 (420 x 594 mm)	410 x 584 mm	450 x 624 x 11 mm	1,03 kg	431 x 336 mm
KRA1G20SEC	8595578300499	A1 (594 x 841 mm)	584 x 831 mm	624 x 871 x 11 mm	1,67 kg	605 x 583 mm
KR50x70G20SEC	8595578300505	500 x 700 mm	490 x 690 mm	530 x 730 x 11 mm	1,34 kg	511 x 442 mm

Article code	Packing size	Packing weight	Pcs / Pallet	Weight of pallet	Volumetric weight	UPS ratio (Belt size)	Shipping
Artikelcode	Verpackungsgröße	Versandgewicht	Stck / Palette	Paletten-gewicht	Volumen-gewicht	UPS Koeffizient (Gurtmaß)	Versandart
KRA5G20SEC	205 x 300 x 230 mm*	3,50 kg*	1200	440 kg	2,83 kg	1170 mm	UPS
KRA4G20SEC	250 x 337 x 20 mm	0,59 kg	800	492 kg	0,35 kg	877 mm	UPS
KRA3G20SEC	337 x 460 x 20 mm	0,88 kg	508	468 kg	0,62 kg	1174 mm	UPS
KRA2G20SEC	460 x 634 x 20 mm	1,40 kg	250	370 kg	1,17 kg	1594 mm	UPS
KRA1G20SEC	634 x 881 x 20 mm	2,30 kg	100	250 kg	2,23 kg	2189 mm	UPS
KR50x70G20SEC	540 x 740 x 20 mm	1,74 kg	194	358 kg	1,60 kg	1860 mm	UPS


\* 10 pcs in box / 10 Stück in Packung

**SECURITY SNAP FRAME PROFILE 20 mm / RONDO CORNER**

Poster Frames | Snap Frames




**ACCESSORIES  
ZUBEHÖR**



ONLY FOR A4  
NUR FÜR A4

**BACK VIEW  
RÜCKANSICHT**



## SECURITY SNAP FRAME PROFILE 20 mm / RONDO CORNER

Poster Frames | Snap Frames



Article code	EAN / GTIN	Poster size	Visible size	Size (A x B x C)	Net weight	Holes Pitch (X x Y)
Artikelcode	EAN / GTIN	Plakatformat	Sichtmaß	Größe (A x B x C)	Netto Gewicht	Lochabstand (X x Y)
KRA5R20SEC	8595578300567	A5 (148 x 210 mm)	138 x 200 mm	178 x 240 x 11 mm	0,29 kg	159 x 0 mm
KRA4R20SEC	8595578300574	A4 (210 x 297 mm)	200 x 287 mm	240 x 327 x 11 mm	0,42 kg	221 x 119 mm
KRA3R20SEC	8595578300581	A3 (297 x 420 mm)	287 x 410 mm	327 x 450 x 11 mm	0,69 kg	308 x 242 mm
KRA2R20SEC	8595578300598	A2 (420 x 594 mm)	410 x 584 mm	450 x 624 x 11 mm	1,05 kg	431 x 336 mm
KRA1R20SEC	8595578300604	A1 (594 x 841 mm)	584 x 831 mm	624 x 871 x 11 mm	1,63 kg	605 x 583 mm
KR50x70R20SEC	8595578300611	50 x 700 mm	490 x 690 mm	530 x 730 x 11 mm	1,30 kg	511 x 442 mm

Article code	Packing size	Packing weight	Pcs / Pallet	Weight of pallet	Volumetric weight	UPS ratio (Belt size)	Shipping
Artikelcode	Verpackungsgröße	Versandgewicht	Stck / Palette	Paletten-gewicht	Volumen-gewicht	UPS Koeffizient (Gurtmaß)	Versandart
KRA5R20SEC	205 x 300 x 230 mm*	3,10 kg*	1200	392 kg	2,83 kg	643 mm	UPS
KRA4R20SEC	250 x 337 x 20 mm	0,55 kg	800	460 kg	0,35 kg	877 mm	UPS
KRA3R20SEC	337 x 460 x 20 mm	0,90 kg	508	478 kg	0,62 kg	1174 mm	UPS
KRA2R20SEC	460 x 634 x 20 mm	1,42 kg	250	375 kg	1,17 kg	1594 mm	UPS
KRA1R20SEC	634 x 881 x 20 mm	2,26 kg	100	246 kg	2,23 kg	2189 mm	UPS
KR50x70R20SEC	540 x 740 x 20 mm	1,56 kg	194	323 kg	1,60 kg	1860 mm	UPS

\* 10 pcs in box / 10 Stück in Packung

